

Substrate: Barium Fluoride (BaF₂)

Grade: IR-POLY

Coating: None

Code	Dia. (mm)	EFL (mm)	CT (mm)	ET (mm)	Design Wavelength	Radius (mm)	S/D	N(Δ N) /PV	CA(%)
PBa05C001	12.7	12.7	5.80	1.5	5um	10.471	60-40	1 λ	90
PBa05C002	12.7	25.4	3.30	1.5	5um	22.34	60-40	1 λ	90
PBa05C003	12.7	50.8	2.40	1.5	5um	45.43	60-40	1 λ	90
PBa05C004	12.7	76.2	2.10	1.5	5um	68.39	60-40	1 λ	90
PBa05E002	25.4	25.4	10.50	2.1	5um	21.23	60-40	1 λ	90
PBa05E003	25.4	50.8	5.70	2.0	5um	44.87	60-40	1 λ	90
PBa05E004	25.4	63.5	4.90	2.0	5um	56.49	60-40	1 λ	90
PBa05E005	25.4	150	3.20	2.0	5um	134.90	60-40	1 λ	90
PBa05F001	38.1	38.1	15.20	2.5	5um	31.84	60-40	1 λ	90
PBa05F002	38.1	63.5	9.20	2.5	5um	55.85	60-40	1 λ	90